



This document is for educational purposes only and property of Inventor Wizard. It shall not without our permission be altered, copied, used for manufacturing or communicated to any other person or company.

Corresponding symbols								
Roughness Classes (NBN 88-02) (ISO 1302)								
Roughness Value "Ra" in µm (NBN 88-02) (ISO 1302)								
Allowable deviations for dimensions without tolerance indication (machined surfaces)								
Accuracyclass (ISO 2768.1)	For measurements (deviations in mm)							
	Dimensions in mm							
	0,5 to 3	>3 to 6	>6 to 30	>30 to 120	>120 to 400	>400 to 1000	>1000 to 2000	>2000 to 4000
f Fine	±0,05	±0,05	±0,1	±0,15	±0,2	±0,3	±0,5	±0,8
m Medium	±0,1	±0,1	±0,2	±0,3	±0,5	±0,8	±1,2	±2
c Rough	±0,2	±0,3	±0,5	±0,8	±1,2	±2	±3	±4
v Very Rough	-	±0,5	±1	±1,5	±2,5	±4	±6	±8

Revision	Date	Description				
Engineered by:			Name:	Date:	Scale: 1:2	
Galba, J.		Designer:	Galba, J.	26/03/2011	SheetSize: A3	
		Approved:	Galba, J.	26/03/2011		
Project:					Material: Aluminum-6061	
Miniature Model Engine					Total Mass: 0,426 kg	
Title:						
6 Cylinder – Radial Engine (Pneumatic)						
Bearing Holder						
 InventorWizard.be/.nl		Drawingnumber:				Sheet:
						0001
		Design State:				Drawing made with autodesk Inventor Revisions only permitted by CAD
		Released				



Drawing made with
autodesk Inventor
Revisions only
permitted by CAD